

SAFETY DATA SHEET

Information of the substance/mixture and of the company/undertaking	
1.1 Commercial product name	RF Latex Test
Cat. No.:	RF2716
1.2 Company:	RANDOX Laboratories Ltd., 55 Diamond Road, Crumlin, Co. Antrim, United Kingdom, BT29 4QY Tel: +44 (0) 28 9442 2413; Fax: +44 (0) 28 9445 2912 Email: msds@randox.com Website: www.randox.com
1.3 In Emergencies:	Tel: +44 (0) 28 9442 2413

2. Hazards identification	
Latex Reagent	Thimerosal 0.1% (w/v) Sodium Azide <0.1% (w/v)
Classification:	Biohazard Xn; Harmful

3. Composition / Information on Ingredients	
Warnings:	For <i>in vitro</i> diagnostic use only. Do not pipette by mouth. Handle laboratory reagents in accordance with Good Laboratory Practice. May cause irritation to skin and eyes, may be irritating to mucous membranes and upper respiratory tract. Avoid contact with skin, avoid inhalation and ingestion. All components contain Sodium Azide. Sodium azide reacts with lead or copper plumbing to form potentially explosive azides. When disposing of such reagents flush with large volumes of water to prevent azide build up. Exposed metal surfaces should be cleaned with 10% sodium hydroxide. The Latex Reagent and Positive control contain material of human origin. Each donor used in the preparation of the materials was tested by an FDA approved method for the presence of HIV and HCV antibodies, and the hepatitis B antigen, and found to be non-reactive. However, since no test can offer complete assurance that such infectious agents are absent, reagents should be handled with the same care as a clinical specimen.
Risk phrases:	R20/21/22: Harmful by inhalation, in contact with skin and if swallowed
Safety phrases:	S13: Keep away from food, drink and animal feeding stuffs S28: After contact with skin, wash immediately S36; Wear suitable protective clothing S45: In case of accident or if you feel unwell, seek medical advice immediately (show label where possible) S60: This material and its container must be disposed of as hazardous waste S61: Avoid release to the environment. Refer to special instructions/safety data sheet

4. First aid measures	
Emergency First Aid:	Call an internal First Aider where available or else contact a physician immediately. Direction for First Aider or Physician:
Inhalation:	If inhaled, remove to fresh air. If breathing becomes difficult, call a physician.
Ingestion:	If swallowed wash out mouth with water provided person is conscious, call a physician.
Skin Contact:	In case of skin contact immediately wash skin with soap and copious quantities of water.
Eye Contact:	Flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating eyelids with fingers. Call a physician.

RF Latex Test: RF2716

Revision: C

Date: 16 March 2010

RANDOX

5. Fire-fighting measures	
Flash point:	Not determined
Flammable limits:	Not determined
Extinguishing media:	No restriction
Special Fire Fighting Procedures:	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.
Unusual Fire and Explosion Hazards:	May emit toxic fumes under fire conditions
Thermal decomposition:	Not determined

6. Accidental release measures	
After spillage:	Use appropriate spill absorbent kit as instructed by the manufacturer. Alternatively, mop up with an absorbent material and hold for waste disposal.
	Appropriate Personal Protective Equipment should be worn, e.g. laboratory coat, gloves, safety glasses and mask. Ventilate area and wash spill site after material pick up is complete.
Absorbent material:	No restriction

7. Handling and storage	
7.1 Handling:	Wash thoroughly after handling. Do not use if skin is cut or scratched. Avoid contact with eyes, skin and clothing.
7.2 Storage	Store at temperatures and conditions as indicated on the product label
Do not store together:	N/A

8. Exposure controls/personal protection	
MEL/OES	Not determined
Respiratory protection:	None
Eye protection:	Protective glasses
Hand protection:	Standard laboratory rubber or latex gloves.
Skin protection:	A laboratory coat or apron is recommended

RF Latex Test: RF2716

Revision: C

Date: 16 March 2010



9. Physical and chemical properties	
Physical state:	Liquid
Colour:	Colourless (Diluent and Negative Control)
	Yellow (Latex Reagent and Positive Control)
Odour:	Odourless
pH value:	Not determined
Boiling point	Not determined
Melting point:	Not determined
Oxidising properties:	Not determined
Ignition temperature	Not determined
Explosion limits:	Not determined
Density:	Not determined
Solubility in water:	Soluble

10. Stability and reactivity	
Stability:	Stable
Conditions to avoid:	Not determined
Substances to avoid:	Strong oxidising agents, also acids
Hazardous decomposition products:	Not determined

11. Toxicological information:	
LD50 oral	Not determined
LD50 intraperitoneal	Not determined
LD50 skin	Not determined
LC50 inhalation	Not determined
Toxicologic information:	Not thoroughly investigated

12. Ecological information	
Water hazard class:	Data not yet available

RF Latex Test: RF2716

Revision: C

Date: 16 March 2010



13. Disposal considerations	Each disposal facility must determine proper disposal methods of the substance or preparation and any contaminated packaging to comply with Local and National Environmental Regulations
	Refer to Section 6.

14. Transport Information				
GGVE/GGVS:	Data not yet available	RID/ADR	Data not yet available	
ICAO/IATA-DGR:	Data not yet available	UN-Nr.:	Data not yet available	
IMDG-CODE:	Data not yet available	MFAG	Data not yet available	
		EMS:	Data not yet available	

15. Regulatory information		
	Classified according to CHIP 3	
Hazard symbol:	Biohazard	
	Xn: Harmful	
Risk phrases:	R20/21/22: Harmful by inhalation, in contact with skin and if swallowed	
	R33: Danger of cumulative effects	
	R52/53: Harmful to aquatic organisms, may cause long term adverse effects in the aquatic environment	
Safety phrases:	S13: Keep away from food, drink and animal feeding stuffs	
	S28: After contact with skin, wash immediately	
	S36; Wear suitable protective clothing	
	S45: In case of accident or if you feel unwell, seek medical advice immediately (show	
	label where possible)	
	S60: This material and its container must be disposed of as hazardous waste	
	S61: Avoid release to the environment. Refer to special instructions/safety data sheet	
Precautions:	See Section 3	

16. Other information	
	The information herein is believed to be correct as of the date hereof but is provided without warranty of any kind. The recipient of our products is responsible for observing any National laws and guidelines applicable.

RF Latex Test: RF2716

Revision: C

Date: 16 March 2010

