

SAFETY DATA SHEET

Information of the substance/mixture and of the company/undertaking	
1.1 Commercial product name	CYTOKINE ARRAY IV CALIBRATOR SERIES
Cat. No.:	EV3658
1.2 Company:	RANDOX Laboratories Ltd., 55 Diamond Road, Crumlin, Co. Antrim, United Kingdom, BT29 4QY Tel: +44 (0) 28 9442 2413; Fax: +44 (0) 28 9445 2912 Email: msds@randox.com Website: www.randox.com
1.3 In Emergencies:	Tel: +44 (0) 28 9442 2413

2. Hazards identification	
	Contains no hazardous substances in reportable quantities.
Classification:	No hazardous chemicals as classified by CHIP 3

3. Composition / Information on Ingredients	
Warnings:	For <i>in vitro</i> diagnostic use only. Do not pipette by mouth. Handle laboratory reagents in accordance with Good Laboratory Practice. May cause irritation to skin and eyes, may be irritating to mucous membranes and upper respiratory tract. Avoid contact with skin, inhalation and ingestion.
Risk phrases:	None
Safety phrases:	None

4. First aid measures	
Emergency First Aid:	Call an internal First Aider where available or else contact a physician immediately. Direction for First Aider or Physician:
Inhalation:	If inhaled, remove to fresh air. If breathing becomes difficult, call a physician.
Ingestion:	If swallowed wash out mouth with water provided person is conscious, call a physician.
Skin Contact:	In case of skin contact immediately wash skin with soap and copious quantities of water.
Eye Contact:	Flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating eyelids with fingers. Call a physician.

Cytokine Array IV Calibrator Series: EV3658

Revision: B
Date: 17th May 2010

RANDOX

5. Fire-fighting measures	
Flash point:	Not known
Flammable limits:	Not Known
Extinguishing media:	Can use water, carbon dioxide, dry chemical or foam
Special Fire Fighting Procedures:	None
Unusual Fire and Explosion Hazards:	Not Known
Thermal decomposition:	Not Known

6. Accidental release measures	
After spillage:	Use appropriate spill absorbent kit as instructed by the manufacturer. Alternatively, mop up with an absorbent material and hold for waste disposal. Appropriate Personal Protective Equipment should be worn, e.g. laboratory coat, gloves, safety glasses and mask. Ventilate area and wash spill site after material pick up is complete.
Absorbent material:	No restriction

7. Handling and storage	
7.1 Handling:	The normal precautions for handling chemicals must be observed.
	Avoid inhalation and contact with skin. Do not swallow.
7.2 Storage	Store at temperatures and conditions as indicated on the product label
Do not store together:	No restrictions

8. Exposure controls/personal protection	
MEL/OES	Not known.
Respiratory protection:	None
Eye protection:	Protective Glasses
Hand protection:	Protective gloves (rubber or plastic)
Skin protection:	Laboratory coat

Cytokine Array IV Calibrator Series: EV3658 Revision: B Date: 17th May 2010



9. Physical and chemical properties	
Physical state:	Lyophilised pellet
Colour:	White (pellet)
	Pale yellow liquid when reconstituted
Odour:	Odourless
pH value:	Not determined
Boiling point	Not determined
Melting point:	Not determined
Oxidising properties:	Not determined
Ignition temperature	Not determined
Explosion limits:	Not determined
Density:	Not determined
Solubility in water:	Not determined

10. Stability and reactivity	
Stability:	Stable
Conditions to avoid:	Not determined
Substances to avoid:	Avoid contact with metals and acids
Hazardous decomposition products:	None determined

11. Toxicological information:	
LD50 oral	Not known
LD50 intraperitoneal	Not known
LD50 skin	Not known
LC50 inhalation	Not known
Toxicologic information:	Not known

12. Ecological information	
Water hazard class:	Data not yet available

13. Disposal considerations	Precautions Each disposal facility must determine proper disposal methods of the substance or preparation and any contaminated packaging to comply with Local and National Environmental Regulations. Refer to Section 6.
-----------------------------	---

14. Transport Information

Cytokine Array IV Calibrator Series: EV3658 Revision: B Date: 17th May 2010



GGVE/GGVS:	Data not yet available	RID/ADR	Data not yet available
ICAO/IATA-DGR:	Data not yet available	UN-Nr.:	Data not yet available
IMDG-CODE:	Data not yet available	MFAG	Data not yet available
		EMS:	Data not yet available

15. Regulatory information			
	This product contains no hazardous chemicals in reportable quantities according to CHIP 3.		
Hazard symbol:	None		
Risk phrases:	None		
Safety phrases:	None		
Precautions:	See Section 3		

16. Other information		
	The information herein is believed to be correct as of the date hereof but is provided without warranty of any kind. The recipient of our products is responsible for observing any National laws and guidelines applicable.	

Cytokine Array IV Calibrator Series: EV3658 Revision: B Date: 17th May 2010

