

SAFETY DATA SHEET

Information of the substance/mixture and of the company/undertaking	
1.1 Commercial product name	Drugs of Abuse Array I Urine Plus Calibrators
Cat. No.:	EV3744
1.2 Company:	RANDOX Laboratories Ltd., 55 Diamond Road, Crumlin, Co. Antrim, United Kingdom, BT29 4QY Tel: +44 (0) 28 9442 2413; Fax: +44 (0) 28 9445 2912 Email: msds@randox.com Website: www.randox.com
1.3 In Emergencies:	Tel: +44 (0) 28 9442 2413

2. Hazards identification		
	Contains no hazardous substances in reportable quantities	
Classification:	No hazardous chemicals in reportable quantities as classified by CHIP 3 regulations.	

3. Composition / Information on Ingredients	
Warnings:	For <i>in vitro</i> diagnostic use only. Do not pipette by mouth. Handle laboratory reagents in accordance with Good Laboratory Practice. May cause irritation to skin, eyes, mucous membranes and upper respiratory tract. Avoid ingestion or contact with skin or mucous membranes. In case of skin contact, flush affected area with copious amounts of water. In case of contact with eyes or if ingested, seek immediate medical attention.
Risk phrases:	None
Safety phrases:	None

4. First aid measures	
Emergency First Aid:	Call an internal First Aider where available or else contact a physician immediately. Direction for First Aider or Physician:
Inhalation:	If inhaled, remove to fresh air. If breathing becomes difficult, call a physician.
Ingestion:	If swallowed wash out mouth with water provided person is conscious, call a physician.
Skin Contact:	In case of skin contact immediately wash skin with soap and copious quantities of water.
Eye Contact:	Flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating eyelids with fingers. Call a physician.

5. Fire-fighting measures	
Flash point:	Not known
Flammable limits:	Not known
Extinguishing media:	Can use water, carbon dioxide, dry chemical or foam
Special Fire Fighting Procedures:	None
Unusual Fire and Explosion Hazards:	Not known

Drugs of Abuse Array I Urine Plus Calibrators: EV3744

Revision: A
Date: 10th May 2011

RANDOX

Hazards:	
Thermal decomposition:	Not known

6. Accidental release measures	
After spillage:	Use appropriate spill absorbent kit as instructed by the manufacturer. Alternatively, mop up with an absorbent material and hold for waste disposal. Appropriate Personal Protective Equipment should be worn, e.g. laboratory coat, gloves, safety glasses and mask. Ventilate area and wash spill site after material pick up is complete.
Absorbent material:	No restriction

7. Handling and storage	
7.1 Handling:	The normal precautions for handling chemicals must be observed.
	Avoid inhalation.
	Avoid contact with skin and do not swallow.
7.2 Storage	Store at temperatures and conditions as indicated on the product label.

8. Exposure controls/personal protection	
MEL/OES	Not known
Respiratory protection:	None
Eye protection:	Protective glasses
Hand protection:	Protective gloves (rubber or plastic)
Skin protection:	Laboratory coat

9. Physical and chemical properties	
Physical state:	Lyophilised Pellet
Colour:	Clear colourless liquid after reconstitution
Odour:	Odourless
pH value:	Not determined
Boiling point	Not determined
Melting point:	Not determined
Oxidising properties:	Not determined
Ignition temperature	Not determined
Explosion limits:	Not determined
Density:	Not determined
Solubility in water:	Not determined

Drugs of Abuse Array I Urine Plus Calibrators: EV3744 Revision: A Date: 10th May 2011



10. Stability and reactivity	
Stability:	Stable
Conditions to avoid:	Not determined
Substances to avoid:	Not determined
Hazardous decomposition products:	None determined

11. Toxicological information:	
LD50 oral	Not known
LD50 intraperitoneal	Not known
LD50 skin	Not known
LC50 inhalation	Not known
Toxicologic information:	Not known

12. Ecological information	
Water hazard class:	Data not yet available

13. Disposal considerations	Each disposal facility must determine proper disposal methods of the substance or preparation and any contaminated packaging to comply with Local and National Environmental Regulations Refer to Section 6.
-----------------------------	---

14. Transport Information				
GGVE/GGVS:	Data not yet available	RID/ADR	Data not yet available	
ICAO/IATA-DGR:	Data not yet available	UN-Nr.:	Data not yet available	
IMDG-CODE:	Data not yet available	MFAG	Data not yet available	
		EMS:	Data not yet available	

15. Regulatory information			
	This product contains no hazardous chemicals in reportable quantities according to CHIP 3.		
Hazard symbol:	None		
Risk phrases:	None		
Safety phrases:	None		
Precautions:	See Section 3		

Drugs of Abuse Array I Urine Plus Calibrators: EV3744 Revision: A Date: 10th May 2011



16. Other information	
	The information herein is believed to be correct as of the date hereof but is provided without warranty of any kind. The recipient of our products is responsible for observing any National laws and guidelines applicable.

Drugs of Abuse Array I Urine Plus Calibrators: EV3744 Revision: A Date: 10th May 2011

